


KRH PUSH-IN ŠROUBENÍ PŘÍMÉ/AR-OT 360° - Těžkozápalné UL-94/V0 s vnějším závitem R, 10 Bar

Kód produktu: 74058



KRH

Tube O.D. (mm)	Thread R(PT)	Part No.	H (Hex.)	L	A*	M	Eff. area (mm ²)		Weight (g)
							FR double layer	FR soft nylon	
6	1/8	KRH06-01S	12	21.6	18.5	17	10.4	5.6	16
	1/4	KRH06-02S	14	22.5	17				14
	3/8	KRH06-03S	17	20.9	15.5				27
8	1/8	KRH08-01S	14	27.1	24	18.5	26.1	18.0	21
	1/4	KRH08-02S	17	26	20.5				19
	3/8	KRH08-03S	17	20.9	15.5				26
10	1/8	KRH10-01S	17	29.1	26	21	41.5	29.5	19
	1/4	KRH10-02S	17	33	27.5				30
	3/8	KRH10-03S	17	27.9	22.5				53
	1/2	KRH10-04S	22	26.1	19				42
12	1/4	KRH12-02S	19	34	28.5	22	58.3	46.1	34
	3/8	KRH12-03S	19	28.9	23.5				51
	1/2	KRH12-04S	22	29.1	22				

* Reference dimensions after R(PT) thread installation.

Series KR

Model		
Male connector  P-7-119 Used to pipe in the same direction from female flared portion. Most common style.	Union elbow  P-7-120 Used to connect tubes at right angles.	Plug-in reducer  P-7-122 Used to change size of One-touch fittings.
Straight union  P-7-119 Used to connect tubes in the same direction.	Extended male elbow  P-7-120 For when the elbow extends over a standard elbow for easier disconnection of tubing.	Union "T"  P-7-121 Used to connect tubes in the same direction.
Male elbow  P-7-120 Used to pipe in right angles to female flared portion. Most common style.	Branch tee  P-7-121 Used to branch line from female flared in both 90° directions.	Plug-in "T"  P-7-121 Used to branch tubing in the same direction from One-touch fittings.
45° male elbow  P-7-120 Used in applications where a 45° elbow or male connector allows for tubing.	Union tee  P-7-121 Used to branch connect tubes in both 90° directions.	Branch "T"  P-7-121 Used to branch line in the same direction from One-touch fittings.
Universal male union  P-7-122 Universal male union allows thread connection by using a socket wrench for confined spaces.	Male run tee  P-7-121 Used to connect tubes with one open in both 90° directions.	Bulkhead union  P-7-122 Used for junction connection of two tubes for installation of a panel.
Reducer cover  P-7-122 Protection of tube allowing conveniently size of male unions in addition of the space.	Reducer cover  P-7-122 Protection of tube allowing conveniently size of male unions in addition of the space.	Plug  P-7-122 Used to shut unused One-touch fittings.

- Výrobce: [SMC](#)
- Materiál produktu: **Niklovaná mosaz**
- Médium: **Voda, vzduch, dusík (N2)**
- Pracovní teplota: **-5°C až +60°C (voda +40°C)**
- Norma výrobku: **RoHS, UL-94-V0**
- Použití produktu: **Rychlospojky "KR" pro aplikace ve svařovnách**

Nástrčná spojka z těžkozápalného materiálu, přímá s vnějším šestihranem a vnějším závitem otočná o 360°. Ideální pro aplikace ve svařovnách. Hadice se předpokládají z měkčího nylonu PA. Užitečná při propojování ve stísněných prostorech. Max. provozní tlak 1,0 MPa (10 Bar). Uvolňovací kroužek dovoluje snadné vyjmutí hadice bez jejího poškození.

Varianty zboží

Objednávací kód

Provozní tlak

Série

Vnější závít

Balení [MJ]

Hmotnost

Určeno na hadici [*D]

Určeno na hadici [mm]

Mj

Vaše cena bez DPH

Sklad

SMC-KRH06-01S

10 bar

KRH/UL-94

R 1/8"

1

0,016 kg

10

*D6

ks

95,80 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH06-02S

10 bar

KRH/UL-94

R 1/4"

1

0,014 kg

10

*D6

ks

99,70 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH06-03S

10 bar

KRH/UL-94

R 3/8"

1

0,027 kg

10

*D6

ks

99,70 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH08-01S

10 bar

KRH/UL-94

R 1/8"

1

0,021 kg

10

*D8

ks

109,20 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH08-02S

10 bar

KRH/UL-94

R 1/4"

1

0,019 kg

10

*D8

ks

109,20 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH08-03S

10 bar

KRH/UL-94

R 3/8"

1

0,026 kg

10

*D8

ks

120,30 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH10-01S

10 bar

KRH/UL-94

R 1/8"

1

0,019 kg

10

*D10

ks

174,10 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH10-02S

10 bar

KRH/UL-94

R 1/4"

1

0,03 kg

10

*D10

ks

153,30 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH10-03S

10 bar

KRH/UL-94

R 3/8"

1

0,03 kg

10

*D10

ks

152,90 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH10-04S

10 bar

KRH/UL-94

R 1/2"

1

0,053 kg

10

*D10

ks

176,10 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH12-02S

10 bar

KRH/UL-94

R 1/4"

1

0,042 kg

10

*D12

ks

183,20 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH12-03S

10 bar

KRH/UL-94

R 3/8"

1

0,034 kg

10

*D12

ks

183,20 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

SMC-KRH12-04S

10 bar

KRH/UL-94

R 1/2"

1

0,051 kg

10

*D12

ks

214,40 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0